

4

Algebra and solid Exam

Q(13) Find measure of the angle included between the st
 $L : \frac{X-3}{\sqrt{2}} = \frac{Y-1}{1} = \frac{-Z-2}{1}$ and the plane $\sqrt{2}X - Y - Z$

$$\cos \theta = \frac{(\sqrt{2}, 1, 1) \cdot (\sqrt{2}, -1, -1)}{\sqrt{(\sqrt{2})^2 + 1^2 + 1^2} \times \sqrt{(\sqrt{2})^2 + 1^2 + 1^2}} = \frac{2 - 1 - 1}{2 + 2} = 0$$

$\therefore \theta = 90^\circ$

Q(14) Find the standard form and the general form of the
 the plane passing through point (3 , -5 , 2) and the vector
 $n = (2 , 1 , 1)$ is normal to the plane.

$$\boxed{n \cdot r = n \cdot A}$$

$$(2, 1, 1) \cdot [(X, Y, Z) - (3, -5, 2)] = 0 \quad \therefore (2, 1, 1) \cdot (X - 3, Y + 5, Z - 2)$$

$$2(X - 3) + 1(Y + 5) + 1(Z - 2) = 0 \quad \therefore 2X - 6 + Y + 5 + Z - 2 = 0$$

$$2X + Y + Z - 3 = 0$$

Q(15) Without expanding the determinant prove: $\begin{vmatrix} 1 & 4 & 1 \\ 0 & -1 & 2 \\ 4 & 18 & 0 \end{vmatrix}$

Algebra and solid Exam

5

Q(16)

Find the volume of the parallelepiped which three of its adjacent sides are represented by the vectors $-12i - 3k$, $3j - k$ and $2i + j - 15k$

$$V = \begin{vmatrix} -12 & 0 & -3 \\ 0 & 3 & -1 \\ 2 & 1 & -15 \end{vmatrix} = 546$$

Q(17) Find the vector form of the equation of the straight line passing through the point $(3, -1, 0)$ and the vector $(-2, 4, 3)$ is a direction vector for it.

$$\vec{r} = \text{point} + t (\text{direction vector})$$

① The vector equation:

$$\vec{r} = (3, -1, 0) + t(-2, 4, 3)$$

② Parametric equations:

$$(X, Y, Z) = (3, -1, 0) + t(-2, 4, 3)$$

$$\therefore X = 3 - 2t, \quad Y = -1 + 4t, \quad Z = 0 + 3t$$

③ The Cartesian equation:

$$\therefore t = \frac{X-3}{-2}, \quad t = \frac{Y+1}{4}, \quad t = \frac{Z}{3} \quad \therefore \frac{X-3}{-2} = \frac{Y+1}{4}$$

Q(18) Solve the following equations

$X - Y + Z = 2$, $2X + 3Y - Z = 5$, $3X - 5Y + 2Z = -1$ using the multiplication of the matrix

Algebra and solid Exam

6

Q(19) If Z is a complex number , the amplitude of $(Z + i)$ is 45°
And the amplitude of $(Z - 3) = \frac{3\pi}{4}$ find Z in the algebraic form

$$\text{Let } Z = X + iY \quad \therefore (X + iY + i) = X + i(Y + 1)$$

$$\therefore \tan \theta = \frac{Y+1}{X} = \tan 45^\circ = 1 \quad \therefore X = Y + 1$$

$$\therefore (X + iY - 3) = (X - 3) + iY$$

$$\therefore \frac{Y}{X-3} = \tan 135^\circ = -1 \quad \therefore Y = -X + 3$$

$$\therefore Z = 2 + i$$

Q(20) If the coefficients of the 4th , 5th and 6th term respectively in the expansion of $(2X + Y)^n$ form an arithmetic sequence find n

$$2 \underline{\text{coeff.} T_5} = \underline{\text{coeff.} T_4} + \underline{\text{coeff.} T_6} \quad \therefore \div T_5$$

$$\frac{\underline{\text{coeff.} T_4}}{\underline{\text{coeff.} T_5}} + \frac{\underline{\text{coeff.} T_6}}{\underline{\text{coeff.} T_5}} = 2$$

$$\frac{4}{n-4+1} \times 2 + \frac{n-5+1}{5} \times \frac{1}{2} = 2$$

$$\frac{8}{n-3} + \frac{n-4}{10} = 2$$

Algebra and solid Exam

Q(9) If A(7,-1,,8) and B(11,2,-4) then the length of \overline{AB} =

① 10

② 11

③ 12

④ 13

$$AB\sqrt{(11-7)^2 + (2+1)^2 + (-4-8)^2} = 13$$

Q(10) From a class of 9 boys and 6 girls it's required to :
4-person team of the same gender.

① 3384

② 143

③ 145

④ 141

$${}^9C_4 + {}^6C_4 = 126 + 15 = 141$$

Q(11) If $(1 + \omega^2)^n = (1 + \omega)^n$ then the least value of the posi
equals

① 2

② 3

③ 6

④ 5

$$(-\omega)^6 = (-\omega^2)^6 \quad \therefore n = 6$$

Q(12) If $\frac{a^2 + b^2}{a + bi} = 2 + 3i$ then $a \times b = \dots$ where a and